

## Section A – Cultivars from division 1 to 10 and 12 - Updated 2 June 2015

+Adorable Lass	6Y-Y	Golden Bells	10Y-Y	Northwester	6Y-Y
Alec Gray	1W-W	Golden Quince	12Y-Y	Nylon Group	10W-W
Andy Blanchard	5Y_Y				
Angel o'Music	5W-Y	Grandma's Sweetheart	6Y-Y	Oakwood Sprite	1Y-Y
Angel's Breath	5Y-Y	Hawera	5Y-Y	Odile	7Y-O
Angel's Whisper	5Y-Y	Heidi	6Y-Y	Odoratus	8W-Y
April Tears	5Y-Y	Hors d'Oeuvre	1Y-Y	Orclus	10W-W
Arrival	1W-Y	Hummingbird	6Y-Y	Oxford Gold	10Y-Y
Atlas Gold	10Y-Y	Icicle	5W-W	Pacific Coast	8Y-Y
Atom	6Y-Y	Jessamy	10W-W	Peaseblossom	7Y-Y
Baby Moon	7Y-Y	Joy Bishop	10Y-Y	Pequenita	7Y-Y
Baby Star	7Y-Y	Jim Lad	2Y-Y	Petit Beurre	1Y-Y
Bagatelle	1Y-Y	Julia Jane	10Y-Y	Picoblanco	2W-W
Bebop	7Y-Y	Jumble	12Y-O	Pixie's Sister	7Y-Y
Bird Flight	6Y-GYY	Kholmes	10W-W	Pledge	1W-W
Bird Music	6Y-Y	Kidling	7Y-Y	Plenus	4Y-Y
Bow Bells	5Y-Y	Laura	5W-Y	Poplin	10Y-Y
Camborne	1W-W	Lilliput	1W-Y	Puppy Love	2W-WPP
Canaliculatus	8W-Y	Little Beauty	1W-Y	Quince	12Y-Y
Candlepower	1W-W	Little Becky	12Y-Y	Rikki	7W-Y
Chappie	7Y-O	Little Dianne	8W-WPP	Rock Garden Gem	6Y-GYY
Cheep	6W-Y	Little Emma	12Y-Y	Rockery White	1W-W
China Gold	10Y-Y	Little Flik	12Y-Y	Rosaline Murphy	2Y-Y
Chit Chat	7Y-Y	Little Gem	1Y-Y	Rupert	7Y-Y
Clare	7Y-Y	Little Kibler	9W-GYR	Sabrosa	7Y-Y
Classic Gold	10Y-Y	Little Lass	5W-W	Sassy	12Y-Y
Coo	12Y-Y	Little Miss	6Y-Y	Sea Gift	7Y-Y
Crevette	8W-O	Little Missus	7Y-Y	Segovia	3W-Y
Curlylocks	7Y-Y	Little Oliver	7Y-Y	Sennocke	5Y-Y
Cyclataz	12Y-O	Little Rusky	7Y-GYO	Sewannee	2W-Y
Dainty Monique	5Y-Y	Little Sentry	7Y-Y	Shillingstone	8W-W
Dandubar	7Y-Y	Little Sunshine	6Y-Y	Shrimp	5Y-Y
Demure	7W-Y	Lively Lady	5W-W	Sir Echo	1Y-W
Diamond Ring	10Y-Y	Loyce	7Y-YYO	Skelmersdale Gold	1Y-Y
Doublebois	5W-W	Mary Plumstead	5Y-Y	Small Talk	1Y-Y
Edged in Gold	7WY-Y	Medway Gold	7Y-Y	Smarple	10W-W
Elfhorn	10Y-Y	Mickey	6Y-Y	Snipe	6W-W
Elka	1W-W	Midget	1Y-Y	Snook	6Y-Y
Endearing	7Y-WY	Minicycla Group	6Y-Y	Solveig's Song	12Y-Y
Englander	6Y-Y	Minnie	6Y-Y	Spider	6Y-Y
Fairy Chimes	5Y-Y	Minnow	8W-Y	Spoirot	10W-W
Fenben	7Y-Y	Miss Klein	7Y-Y	Sprite	1W-W
Ferdie	6Y-Y	Mite	6Y-Y	Stafford	7Y-O
Flomay	7W-WWP	Mitimoto	10W-Y	Star Song	6Y-Y
Flore Pleno	4Y-Y	Mitzy	6W-W	Stella Turk	6Y-Y
Flute	6Y-Y	Moncorvo	7Y-Y	Stocken	7Y-Y
Flyaway	12Y-Y	Mortie	6Y-Y	Sun Disc	7Y-Y
Fyno	10W-W	Muslin	10W-W	Sundial	7Y-Y
Gambas	1Y-Y	Mustardseed	2Y-Y	Sunny Maiden	6Y-GYY
Gipsy Queen	1YYW- WWY	New-Baby	7W-Y	Sunny Sister	6Y-Y



<i>bulbocodium</i>	subsp. <i>quintanilhae</i>		Bulbocodium
<i>bulbocodium</i>	subsp. <i>validus</i>		Bulbocodium
<i>calcicola</i>			Apodanthi
<i>cantabricus</i>	subsp. <i>cantabricus</i>	var. <i>cantabricus</i>	Bulbocodium
<i>cantabricus</i>	subsp. <i>cantabricus</i>	var. <i>eu-albidus</i>	Bulbocodium
<i>cantabricus</i>	subsp. <i>cantabricus</i>	var. <i>foliosus</i>	Bulbocodium
<i>cantabricus</i>	subsp. <i>cantabricus</i>	var. <i>kesticus</i>	Bulbocodium
<i>cantabricus</i>	subsp. <i>cantabricus</i>	var. <i>petunioides</i>	Bulbocodium
<i>cantabricus</i>	subsp. <i>luteolentus</i>		Bulbocodium
<i>cantabricus</i>	subsp. <i>monophyllus</i>		Bulbocodium
<i>contabricus</i>	subsp. <i>tananicus</i>		Bulbocodium
x <i>caramulensis</i>			Intersectional hybrid
x <i>carringtonii</i>			Intersectional hybrid
<i>cavanillesii</i>			Tapeinanthus
x <i>cazorlanus</i>			Intersectional hybrid
<i>cuatrecasasii</i>	var. <i>cuatrecasasii</i>		Apodanthi
<i>cuatrecasasii</i>	var. <i>segimonensis</i>		Apodanthi
<i>cyclamineus</i>			Pseudonarcissus
x <i>cyclazetta</i>			Intersectional hybrid
<i>dubius</i>	var. <i>dubius</i>		Tazettae
<i>dubius</i>	var. <i>micranthus</i>		Tazettae
<b>*fernandesii</b>	<b>var. fernandesii</b>		<b>Jonquilla</b>
<b>*fernandesii</b>	<b>var. cordubensis</b>		<b>Jonquilla</b>
<i>fernandesii</i>	var. <i>major</i>		Jonquilla
x <i>fosteri</i>			Intersectional hybrid
<i>gaditanus</i>			Jonquilla
x <i>gredensis</i>			Intersectional hybrid
<i>hedraeanthus</i>			Bulbocodium
<i>hesperidis</i>			Bulbocodium
x <i>incurvicervicus</i>			Intersectional hybrid
x <i>intermedius</i>			Intersectional hybrid
<i>jacetanus</i>	subsp. <i>jacetanus</i>		Pseudonarcissus
<i>jacetanus</i>	subsp. <i>vasconicus</i>		Pseudonarcissus
<i>jacquemoudii</i>			Bulbocodium
<i>jeanmonodii</i>			Bulbocodium
<i>jonquilla</i>	var. <i>jonquilla</i>		Jonquilla
<b>*jonquilla</b>	<b>var. henriquesii</b>		<b>Jonquilla</b>
<i>jonquilla</i>	var. <i>minor</i>		Jonquilla
<i>jonquilla</i>	var. <i>stellaris</i>		Jonquilla
<i>juressianus</i>			Bulbocodium
x <i>koshinomurae</i>			Intersectional hybrid
x <i>libarensis</i>			Intersectional hybrid
x <i>litigiosus</i>			Intersectional hybrid
x <i>macleayi</i>			Parentage unknown
x <i>maginae</i>			Intersectional hybrid
<i>miniatus</i>			Serotini
<i>minor</i>	var. <i>conspicuus</i>		Pseudonarcissus
<i>minor</i>	var. <i>minimus</i>		Pseudonarcissus
<i>minor</i>	var. <i>pumilus</i>		Pseudonarcissus
<i>minutiflorus</i>			Jonquilla

<i>nanus</i>			Pseudonarcissus
<i>x neocarpetanus</i>			Sectional hybrid
<i>x nutans</i>			Intersectional hybrid
<i>pachybolbus</i>			Tazettae
<i>panizzianus</i>			Tazettae
<i>papyraceus</i>			Tazettae
<i>patulus</i>			Tazettae
<i>x perezlarae</i>			Intersectional hybrid
<i>peroccidentalis</i>			Bulbocodium
<i>poeticus</i>	var. <i>hellenicus</i>		Narcissus
<i>poeticus</i>	var. <i>physaloides</i>		Narcissus
<i>x ponsii-sorollae</i>			Intersectional hybrid
<i>x pugsleyi</i>			Intersectional hybrid
<i>x pujolii</i>			Intersectional hybrid
<i>romieuxii</i>	subsp. <i>romieuxii</i>	var. <i>romieuxii</i>	Bulbocodium
<i>romieuxii</i>	subsp. <i>romieuxii</i>	var. <i>mesatlanticus</i>	Bulbocodium
<i>romieuxii</i>	subsp. <i>romieuxii</i>	var. <i>rifanus</i>	Bulbocodium
<i>romieuxii</i>	subsp. <i>albidus</i>	var. <i>albidus</i>	Bulbocodium
<i>romieuxii</i>	subsp. <i>albidus</i>	var. <i>zaianicus</i>	Bulbocodium
<i>x romoi</i>			Intersectional hybrid
<i>rupicola</i>	subsp. <i>rupicola</i>		Apodanthi
<i>rupicola</i>	subsp. <i>marvieri</i>		Apodanthi
<i>rupicola</i>	subsp. <i>watieri</i>		Apodanthi
<i>x rapidulus</i>			Intersectional hybrid
<i>scaberulus</i>			Apodanthi
<i>serotinus</i>	var. <i>serotinus</i>		Serotini
<i>serotinus</i>	var. <i>deficiens</i>		Serotini
<i>serotinus</i>	var. <i>emarginatus</i>		Serotini
<i>x somedanus</i>			Intersectional hybrid
<i>subnivalis</i>			Bulbocodium
<i>x tenuior</i>			Intersectional hybrid
<i>tingitanus</i>			Bulbocodium
<i>triandrus</i>	subsp. <i>triandrus</i>	var. <i>triandrus</i>	Ganymedes
<i>triandrus</i>	subsp. <i>triandrus</i>	var. <i>alejandrei</i>	Ganymedes
<i>triandrus</i>	subsp. <i>triandrus</i>	var. <i>concolor</i>	Ganymedes
<i>triandrus</i>	subsp. <i>triandrus</i>	var. <i>loiseleurii</i>	Ganymedes
<i>triandrus</i>	subsp. <i>triandrus</i>	var. <i>pulchellus</i>	Ganymedes
<i>triandrus</i>	subsp. <i>lusitanicus</i>		Ganymedes
<i>triandrus</i>	subsp. <i>pallidulus</i>	var. <i>pallidulus</i>	Ganymedes
<i>triandrus</i>	subsp. <i>pallidulus</i>	var. <i>paivae</i>	Ganymedes
<i>x tuckeri</i>			Intersectional hybrid
<i>x turgaliensis</i>			Intersectional hybrid
<i>viridiflorus</i>			Jonquilla
<i>willkommii</i>			Jonquilla

### Note to exhibitors and judges

A shorter list could have been produced if only sub-species (subsp.) had been included and not varieties (var.). However if in a class calling for six distinct miniatures both varieties *nivalis* and *graellsii* of *bulbocodium* subsp. *bulbocodium* were shown judges would then be unsure whether or not the exhibit was to schedule. Species are very variable and varietal names have been given to specimens which can be found in the normal spread of flowers within a species or sub-species

**population. When two such varieties are shown within the same collection then the judge will take this into account as he/she would when assessing a collection of standard cultivars for range of division and colour combinations.**

**Note on nomenclature added June 2015. \*Asterisked species (in bold) in Section B list.**

Recent taxonomic investigations of several *Narcissus* species have led to new nomenclatural changes being published. Unfortunately for our Society's interests, these changes have affected several species which frequently appear on the Show Benches.

The changes have been brought about by DNA "fingerprinting" techniques which are the most fundamental way that relationships among species can be decided. Yet many growers will assert that they can readily distinguish some of the species 'lumped' together in this new nomenclatural change, by well-recognised morphological differences.

The society's Classification and Technical committee has therefore decided for the time being to leave it to exhibitors to use either the existing nomenclature already shown in the Section B list or they may adopt the new nomenclature indicated below, a previous note of which was made in the Society's Journal in March 2015.

The general acceptance of the new names will be kept under constant review and, if widely accepted by the next issue of Section B, will then be fully adopted.

<i>Narcissus alpestris</i>		is now		<b><i>N. pseudonarcissus moschatus</i></b>
<i>N. bulbocodium conspicuus</i>		is now		<b><i>N. bulb. quintanilhae</i></b>
<i>N. bulb. citrinus</i>		is now		<b><i>N. gigas</i></b>
<i>N. fernandesii</i>	var.	<i>fernandesii</i>	}	
<i>N. fernandesii</i>	var.	<i>cordubensis</i>	}	all are now <b><i>Narcissus flavus</i></b>
<i>N. jonquilla</i>	var.	<i>henriquesii</i>	}	

